



Micro H-1™

2 MOA Red Dot Reflex Sight
with Blaser Saddle Mount

- 2 MOA dot size
- 50,000 hours (over 5 years) of operation on one battery
- 12 intensity settings for use in daylight and low light conditions
- Weight 84 g (3.0 oz) sight only and 227 g (8 oz) with mount
- Submersible to 5 meters (15 feet)
- Equipped with Micro™ Blaser Saddle Mount - ready to mount on Blaser rifles

INCLUDES: Micro™ Blaser Saddle Mount, Flip-up Lens Covers, CR2032 Battery, Aimpoint® Tool

ITEM NO. 200090

PRODUCT OVERVIEW

The Aimpoint® Micro H-1 was designed with the hunter in mind. It has become a very popular hunting sight worldwide due to its size, light weight and robust build quality.

The Aimpoint® Micro H-1 is rugged and reliable, for increased confidence in the harshest of elements. This Micro H-1 sight has been paired with Blaser original saddle mount manufactured by Blaser to create this package. This mount utilizes both of the mounting points featured on Blaser rifle barrels. Quick detach levers allow the sight to be mounted and dismounted quickly, and without loss of zero. This mount fits on all Blaser guns with the Blaser saddle mount interface.

⊗ This product is no longer manufactured.

Service is still provided.

Launched: 2013 Discontinued: 2018

TECHNICAL

SPECIFICATIONS

PHYSICAL SPECIFICATIONS

Size L x W x H - Sight Only 61 x 41 x 36 mm

Weight - Sight Only 84 g

Material Housing and Tube High Strength Aluminum

Color Housing Black

Material Lens Covers Neoprene

Size L x W x H - Sight Only 2.4 x 1.6 x 1.4 in

Weight - Sight Only 3.0 oz

Surface Finish Housing Anodized, Semi-Matte

Lens Covers Bikini Lens Cover, Rubber, Solid

Adjustment 1 Click = 13 mm at 100 m / 0.5 in at 100 yds

OPTICAL SPECIFICATIONS

Dot Size 2 MOA

Magnification 1X - No Magnification

Transmission Average 60% in the range 420 - 700 nm

Diode LED (Light Emitting Diode) totally eye safe

Light Source Wavelength 650 nm red light

Clear Aperture 18 mm / 0.7 in

*** MOA (minute of angle)** 1 MOA \approx 30 mm at 100 meters \approx 1 in at 100 yards

Night Vision Device (NVD) Compatible No

Eye Relief Unlimited

Dot Color Red

Optical Coating Anti-reflex coating all surfaces and multilayer coating objective lens

Parallax Operationally parallax free – No centering required

POWER SOURCE SPECIFICATIONS

Battery Life 50,000 h at daylight setting 8 (15,000 Lux, room temperature)

Battery Quantity 1

Daylight (DL) Settings 12

Battery Type CR2032, 3V, Lithium

Power Switch Rotary Switch

MOUNTING SPECIFICATIONS

Mounting Solution Micro™ Blaser Saddle Mount

Mounting Platform Blaser Interface

TECHNOLOGY SPECIFICATIONS

Operating Principle Reflex collimator sight - red dot sight

ENVIRONMENTAL SPECIFICATIONS

Submersible to 5 m / 15 ft

Radioactive Material None

Temperature Range Storage - 51°C to + 71°C / - 60°F to + 160°F

Laser None

Temperature Range Operation - 30°C to + 60°C / - 20°F to + 140°F
